

## **BALONY METEOROLOGICZNE**

**oferujemy produkty marek**


---

***Hwoyee***



Meteorological Balloons  
Meteorological Instruments  
Meteorological Consumables

**TOTEX**



## PAWAN

	CPR-100	CPR-200	CPR-350	CPR-600	CPR-875	CPR-1000	CPR-1200	CPR-1600	CPR-2000
waga balonu [g]	100	200	300	600	800	1000	1200	1600	2000
średnica pęknięcia [cm]	185	290	400	570	700	740	800	950	1020
średnia wysokość pęknięcia [km]	16 - 17	21 - 22	25	28 - 29	30	32	32	32 - 34	34
średnica wlotu [cm]	4	6	6	6,5 - 7,5	8.5	8.5	8,0 - 9,0	8.5	8.5
długość wlotu [cm]	12	13 - 15	14 - 16	20 - 22	20 - 22	20 - 22	20 - 22	20 - 22	20 - 22
kolor	biały	biały	biały	biały	biały	biały	biały	biały	biały



## HWOYEE

	HY-100	HY-200	HY-350	HY-500	HY-800	HY-1000	HY-1200	HY-1600	HY-2000	HY-3000
waga balonu [g]	100 (+18)	200 (+25)	350 (+35)	500 (+50)	800 (+50)	1000 (+100)	1200 (+150)	1600 (+150)	2000 (+200)	3000 (+200)
średnica pęknięcia [cm]	200	297	480	580	700	800	910	1000	1000	1200
średnia wysokość pęknięcia [km]	16	19	26	27	30	32	33	36	38	40
średnica wlotu [cm]	3.0	3.5	4.4	5.1	5.7	5.9	6.0	7.8	7.9	8.0
długość wlotu [cm]	9	12	12	12	13	13	14	14	14	14
kolor	biały	biały	biały	biały	biały	biały	biały	biały	biały	biały

## TOTEX

	TA-100	TA-200	TA-350	TA-600	TA-800	TA-1000	TA-1200	TA-1600	TA-2000	TA-3000	TA-4000
waga balonu [g]	100	200	350	600	800	1000	1200	1600	2000	3000	4000
średnica pęknięcia [cm]	196	300	412	602	700	786	863	971	1054	1300	1539
średnia wysokość pęknięcia [km]	14	21.2	25.9	30.8	32.8	33.9	33.2	34.4	35.4	37.9	39.6
średnica wlotu [cm]	1.4	3.0	3.0	3.0	3.0	3.0	3.0	3.0	5.0	5.0	5.0
długość wlotu [cm]	12	12	12	12	12	12	12	12	18	18	12
kolor	natural	natural	natural	natural	natural	natural	natural	natural	natural	natural	natural

# zamów już dziś!

---

<https://sklep.stratosferycznie.pl>

## kalkulator

<http://habhub.org/calc/>

